ELSEVIER

Physica C 228 (1994) 409–412

PHYSICA C

Author index to volume 228

Alméras, P., H. Berger, L. Perez and G. Margaritondo, Study of iodine-intercalated $Bi_2Sr_2CaCu_2O_y$ single crystals **228**, 137
Askew, T.R., see R.B. Flippen **228**, 85
Azami, M. and T. Matsuura, Effects of magnetic impurities on superconductors in the nonmagnetic regime **228**, 22

Bae, M.-K., M.S. Choi, M.-O. Mun, S. Lee, S.-I. Lee and W.C. Lee, Vortex fluctuation of grain-aligned $HgBa_2Ca_2Cu_3O_{8+\delta}$ **228**, 195
Baenitz, M., M. Heinze, E. Straube, H. Werner, R. Schlögl, V. Thommen, H.-J. Güntherodt and K. Lüders, Inter- and intragrain AC response of the granular superconductors K_3C_{60} and Rb_3C_{60} **228**, 181
Baert, M., V.V. Metlushko, K. Temst, E. Rosseel, C.D. Potter, J. Snauwaert, L. Hellemans, V.V. Moshchalkov and Y. Bruynseraede, Anomalous field dependence of the critical current and flux creep rate in Pb/Ge multilayers **228**, 42
Balachandran, U., see M.J. Kramer **228**, 265
Balagurov, A.M., F. Bourée, I.S. Lyubutin and I. Mirebeau, Atomic and magnetic structure of $YBa_2(Cu_{1-x}{}^{57}Fe_x)_3O_{6+y}$ studied by neutron diffraction on isotope enriched samples **228**, 299
Bando, Y., see K. Shimura **228**, 91
Bandyopadhyay, S.K., P. Barat, P. Sen, U. De, A. De, P.K. Mukhopadhyay, S.K. Kar and C.K. Majumdar, Effect of alpha irradiation on polycrystalline Bi-2223 superconductors **228**, 109
Barat, P., see S.K. Bandyopadhyay **228**, 109
Batlogg, B., see H. Takagi **228**, 389
Berger, H., see P. Alméras **228**, 137
Bourée, F., see A.M. Balagurov **228**, 299
Boyn, R., D. Wruck, M. Merbach and J.-P. Müller, Temperature dependence of the dielectric function of nonmetallic $YBa_2Cu_3O_x$ in the interband range from transmission and reflection measurements on thin films **228**, 49
Brawner, D.A., R. Jin and H.R. Ott, Measurements of H_{c1} and J_c in $Bi_{1.95}Sr_{1.65}La_{0.4}CuO_{6+\delta}$ with a micro-Hall probe **228**, 115
Bruynseraede, Y., see M. Baert **228**, 42

Capponi, J.J., see C. Prouteau **228**, 63
Cava, R.J., see H. Takagi **228**, 389
Chaddah, P., see S.B. Roy **228**, 319
Chaillout, C., see C. Prouteau **228**, 63
Chang, H., Y.T. Ren, Y.Y. Sun, Y.Q. Wang, Y.Y. Xue and C.W. Chu, Raman studies on $BaCuO_2$, Ba_2CuO_3 and $Ba_2Cu_3O_{5.9}$ **228**, 383
Chang, L., see P.D. Han **228**, 129
Chmaissem, O., L. Wessels and Z.Z. Sheng, Synthesis and characterization of (Hg, Bi)-based 1212-type cuprate superconductor $(Hg_{0.67}Bi_{0.33})Sr_2(Y_{0.67}Ca_{0.33})Cu_2O_{6+\delta}$ ($\delta=0.68$) **228**, 190
Choi, M.S., see M.-K. Bae **228**, 195
Chu, C.W., see Z.J. Huang **228**, 211
Chu, C.W., see H. Chang **228**, 383
Coehoorn, R., Electronic structure of superconducting $LuNi_2B_2C$, YPd_2B_2C and related intermetallic compounds **228**, 331
Cohen, M.L., see J.G. Hou **228**, 175
Crespi, V.H., see J.G. Hou **228**, 175

Daitoh, Y., see K. Shimura **228**, 91
Davydov, V.Yu., see V.V. Emtsev **228**, 165
De, A., see S.K. Bandyopadhyay **228**, 109
De, U., see S.K. Bandyopadhyay **228**, 109

Eisaki, H., see H. Takagi **228**, 389
Emtsev, V.V., V.Yu. Davydov, S.F. Karmanenko, D.S. Poloskin and I.N. Goncharuk, Structural defects in $YBa_2Cu_3O_{7-\delta}$ superconducting films induced by gamma irradiation **228**, 165

Fendrich, J.A., see R.B. Flippen **228**, 85
Flippen, R.B., T.R. Askew, J.A. Fendrich and B.M. Vlcek, χ'' peaks, flux pinning, and the irreversibility line in high-temperature superconductors **228**, 85
Foltyn, S.R., see Q.X. Jia **228**, 160
Forkl, A. and H. Kronmüller, A contribution to the analysis of the current-density distribution in elongated hard type-II superconductors with rectangular cross-section **228**, 1
Fukushima, K., see N. Takezawa **228**, 149

Gamayunov, K., I. Tanaka and H. Kojima, Single-crystal growth of $Nd_{2-x}Ce_xCuO_4$ at low oxygen pressure in ambient atmosphere **228**, 58
Goda, S., see T. Ishibashi **228**, 379
Godart, C., see S.B. Roy **228**, 319
Goncharuk, I.N., see V.V. Emtsev **228**, 165
Güntherodt, H.-J., see M. Baenitz **228**, 181
Gupta, L.C., see S.B. Roy **228**, 319

Guskos, N., see G.P. Triberis **228**, 33

Ha, D.-H., see Y. Yamaguchi **228**, 141
Han, P.D., L. Chang and D.A. Payne, High-pressure synthesis of the $Sr_2CuO_{3+\delta}$ superconductor. Observation of an increase in T_c from 70 K to 94 K with heat treatment **228**, 129
Hao, Z.D., see Z.J. Huang **228**, 211
Hardy, V., see A. Maignan **228**, 323
Hawley, M., see Q.X. Jia **228**, 160
Heinze, M., see M. Baenitz **228**, 181
Hellemans, L., see M. Baert **228**, 42
Hinks, D.G., see Y. Shimakawa **228**, 73
Hiroi, Z., see Y. Shimakawa **228**, 73
Hitterman, R.L., see Y. Shimakawa **228**, 73
Hong, G.-W., see C.-J. Kim **228**, 351
Hossain, Z., see S.B. Roy **228**, 319
Hou, J.G., X.-D. Xiang, V.H. Crespi, M.L. Cohen and A. Zettl, Magnetotransport in single-crystal Rb_3C_{60} **228**, 175
Huang, Z.J., Y.Y. Xue, R.L. Meng, X.D. Qiu, Z.D. Hao and C.W. Chu, Thermal fluctuation in high-temperature superconductor $HgBa_2CaCu_2O_{6+\delta}$ **228**, 211
Hunter, B.A., see Y. Shimakawa **228**, 73

Iga, F., see Y. Yamaguchi **228**, 141
Iguchi, I., see Q. Wang **228**, 393
Ishibashi, T., O. Yoda and S. Goda, Gamma-ray irradiation effects of as-grown Bi–Sr–Ca–Cu–O thin films on the superconducting property and modulation periodicity **228**, 379

Jayaprakash, C., see S.K. Sarker **228**, 309
Jia, Q.X., D. Reagor, S.R. Foltyn, M. Hawley, C. Mombourquette, K.N. Springer and X.D. Wu, Superconducting $YBa_2Cu_3O_{7-x}$ based edge junctions with $Y_{0.7}Ca_{0.3}Ba_2Cu_3O_{7-x}$ barriers **228**, 160
Jin, R., see D.A. Brawner **228**, 115
Jin, R., H.R. Ott and A. Schilling, Magnetization of superconducting $Bi_{1.95}Sr_{1.65}La_{0.4}CuO_{6+\delta}$ single crystals near T_c **228**, 401
Jorgensen, J.D., see Y. Shimakawa **228**, 73

Kabasawa, U., see M. Okamoto **228**, 359
Kar, S.K., see S.K. Bandyopadhyay **228**, 109
Karmanenko, S.F., see V.V. Emtsev **228**, 165
Kim, C.-J., K.-B. Kim, D.-Y. Won and G.-W. Hong, Entrapment of Ba–Cu–O liquid phase during growth of a $Y_1Ba_2Cu_3O_{7-y}$ domain **228**, 351
Kim, K.-B., see C.-J. Kim **228**, 351
Kojima, H., see K. Gamayunov **228**, 58
Komiyama, S., see K. Shimura **228**, 91
Koshizuka, N., see J.G. Wen **228**, 279
Kovačević, Ž. and N.M. Plakida, Spin-fluctuation linewidth of the 4f electron crystal-field levels in cuprates **228**, 15
Krajewski, J.J., see H. Takagi **228**, 389
Kramer, M.J., R.W. McCallum, W.J. Nellis and U. Balachandran, Effects of shock-induced defects and subsequent heat treatment on flux pinning in melt-textured $YBa_2Cu_3O_{7-\delta}$ **228**, 265
Krishnamurthy, H.R., see S.K. Sarker **228**, 309
Kronmüller, H., see A. Forkl **228**, 1
Kugel, K.I., T. Matsushita, E.Z. Meilikhov and A.L. Rakhmanov, Fishtail or peak effect due to proximity in superconductor with normal inclusions **228**, 373
Kulshrestha, I., see A.C. Sharma **228**, 254
Kume, A., see J.G. Wen **228**, 279

Laffez, P., see X.-J. Wu **228**, 292
Lee, J.O., see H. Takagi **228**, 389
Lee, S., see M.-K. Bae **228**, 195
Lee, S.-I., see M.-K. Bae **228**, 195
Lee, W.C., see M.-K. Bae **228**, 195
Likodimos, V., see G.P. Triberis **228**, 33
Lüders, K., see M. Baenitz **228**, 181
Lyubutin, I.S., see A.M. Balagurov **228**, 299

Maignan, A., C. Martin, V. Hardy and Ch. Simon, Magnetic properties of a $Tl_{0.5}Pb_{0.5}Sr_2CaCu_2O_7$ single crystal **228**, 323
Majumdar, C.K., see S.K. Bandyopadhyay **228**, 109
Margaritondo, G., see P. Alméras **228**, 137
Markiewicz, R.S., Van Hove exciton-cageons and high-T_c superconductivity XA. Role of spin–orbit coupling in generating a diabolical point **228**, 227
Martin, C., see A. Maignan **228**, 323
Matsuda, Y., see K. Shimura **228**, 91
Matsushita, T., see K.I. Kugel **228**, 373
Matsuura, T., see M. Azami **228**, 22
Mawatari, Y. and K. Yamafuji, Critical current density in thin films due to the surface barrier **228**, 336
Mazumdar, C., see S.B. Roy **228**, 319
McCallum, R.W., see M.J. Kramer **228**, 265
Meilikhov, E.Z., see K.I. Kugel **228**, 373
Meng, R.L., see Z.J. Huang **228**, 211
Merbach, M., see R. Boyn **228**, 49
Metlushko, V.V., see M. Baert **228**, 42
Mirebeau, I., see A.M. Balagurov **228**, 299
Mitchell, J.F., see Y. Shimakawa **228**, 73
Mizuhashi, K., see H. Takagi **228**, 389
Mombourquette, C., see Q.X. Jia **228**, 160
Môri, N., see X.-J. Wu **228**, 292
Moshchalkov, V.V., see M. Baert **228**, 42
Mukhopadhyay, P.K., see S.K. Bandyopadhyay **228**, 109
Müller, J.-P., see R. Boyn **228**, 49
Mun, M.-O., see M.-K. Bae **228**, 195
Muroi, M. and R. Street, On the rare-earth ionic size effect in the $R_{1-x}Pr_xBa_2Cu_3O_y$ system (R = rare-earth element) **228**, 216

Nagarajan, R., see S.B. Roy **228**, 319
Nellis, W.J., see M.J. Kramer **228**, 265
Nishihara, Y., see Y. Yamaguchi **228**, 141

Okamoto, M., Y. Tarutani, U. Kabasawa and K. Takagi, A

percolation model for copper-oxide superconductor–normal–superconductor junctions **228**, 359
Ott, H.R., see D.A. Brawner **228**, 115
Ott, H.R., see R. Jin **228**, 401
Ovchinnikov, S.G., Influence of the type of dopant on the Néel temperature of copper oxides **228**, 81

Payne, D.A., see P.D. Han **228**, 129
Peck Jr. , W.F., see H. Takagi **228**, 389
Perez, L., see P. Alméras **228**, 137
Phillips, J.C., A prosaic explanation for linearly temperature-dependent penetration depths in $YBa_2Cu_3O_{6.95}$ **228**, 171
Plakida, N.M., see Ž. Kovačević **228**, 15
Poloskin, D.S., see V.V. Emtsev **228**, 165
Potter, C.D., see M. Baert **228**, 42
Pradhan, A.K., see S.B. Roy **228**, 319
Prouteau, C., P. Strobel, J.J. Capponi, C. Chaillout and J.L. Tholence, Optimization of superconductivity in the high-pressure Sr–Ca–Cu–O system **228**, 63

Qiu, X.D., see Z.J. Huang **228**, 211

Rakhmanov, A.L., see K.I. Kugel **228**, 373
Reagor, D., see Q.X. Jia **228**, 160
Ren, Y.T., see H. Chang **228**, 383
Rosseel, E., see M. Baert **228**, 42
Roy, S.B., Z. Hossain, A.K. Pradhan, C. Mazumdar, P. Chaddah, R. Nagarajan, C. Godart and L.C. Gupta, Magnetization studies on YNi_2B_2C **228**, 319

Sakai, H., Y. Shiohara and S. Tanaka, Growth of $YBa_2Cu_4O_8$ thin films by metal–organic chemical vapor deposition **228**, 259
Sarker, S.K., C. Jayaprakash and H.R. Krishnamurthy, Non-Fermi liquid behavior in a mean-field study of the *t–J* model: Role of zero-point spin fluctuations **228**, 309
Schilling, A., see R. Jin **228**, 401
Schlögl, R., see M. Baenitz **228**, 181
Sen, P., see S.K. Bandyopadhyay **228**, 109
Shaked, H., see Y. Shimakawa **228**, 73
Sharma, A.C. and I. Kulshrestha, Plasmons below T_cT_c in cuprate superconductors **228**, 254
Sheng, Z.Z., see O. Chmaissem **228**, 190
Shimakawa, Y., J.D. Jorgensen, J.F. Mitchell, B.A. Hunter, H. Shaked, D.G. Hinks, R.L. Hitterman, Z. Hiroi and M. Takano, Structural study of $Sr_2CuO_{3+\delta}$ by neutron powder diffraction **228**, 73
Shimura, K., Y. Daitoh, Y. Yano, T. Terashima, Y. Bando, Y. Matsuda and S. Komiyama, Superconductivity in the surface of $YBa_2Cu_3O_{7-\delta}$ films. Role of the charge reservoir block on the occurrence of the superconductivity in one-unit-cell thick $YBa_2Cu_3O_{7-\delta}$ **228**, 91
Shiohara, Y., see H. Sakai **228**, 259
Shiohara, Y., see J.G. Wen **228**, 279
Siddique, R.K., Anomalous properties of oxygen-deficient $YBa_2Cu_3O_{7-\delta}$ **228**, 365
Simon, Ch., see A. Maignan **228**, 323
Snauwaert, J., see M. Baert **228**, 42
Springer, K.N., see Q.X. Jia **228**, 160
Straube, E., see M. Baenitz **228**, 181
Street, R., see M. Muroi **228**, 216
Strobel, P., see C. Prouteau **228**, 63
Sun, Y.Y., see H. Chang **228**, 383

Takagi, H., R.J. Cava, H. Eisaki, J.O. Lee, K. Mizuhashi, B. Batlogg, S. Uchida, J.J. Krajewski and W.F. Peck Jr. , Superconducting properties of the new boride-carbide superconductors **228**, 389
Takagi, K., see M. Okamoto **228**, 359
Takano, M., see Y. Shimakawa **228**, 73
Takezawa, N. and K. Fukushima, Optimal size of a cylindrical insulating inclusion acting as a pinning center for magnetic flux in superconductors **228**, 149
Tanaka, I., see K. Gamayunov **228**, 58
Tanaka, S., see H. Sakai **228**, 259
Tanaka, S., see J.G. Wen **228**, 279
Tarutani, Y., see M. Okamoto **228**, 359
Temst, K., see M. Baert **228**, 42
Terashima, T., see K. Shimura **228**, 91
Tholence, J.L., see C. Prouteau **228**, 63
Thommen, V., see M. Baenitz **228**, 181
Triberis, G.P., N. Guskos and V. Likodimos, Small-polaron hopping conductivity in the $PrBa_2Cu_{3-x}Ga_xO_{7-y}$ system **228**, 33

Uchida, S., see H. Takagi **228**, 389

Vlcek, B.M., see R.B. Flippen **228**, 85

Wang, Q. and I. Iguchi, Effective suppression and enhancement of critical current in a nonequilibrium $YBa_2Cu_3O_{7-x}$ film due to tunnel injection of quasiparticles **228**, 393
Wang, Y.Q., see H. Chang **228**, 383
Wen, J.G., H. Yakabe, A. Kume, Y. Shiohara, N. Koshizuka and S. Tanaka, HREM observations of (Sr, Ca)CuO_2 infinite-layer thin film prepared by RF thermal plasma evaporation **228**, 279
Werner, H., see M. Baenitz **228**, 181
Wessels, L., see O. Chmaissem **228**, 190
Won, D.-Y., see C.-J. Kim **228**, 351
Wruck, D., see R. Boyn **228**, 49
Wu, J.G. and X.X. Yao, Magnetization properties of a layered superconductor in a magnetic field parallel to the layers **228**, 103
Wu, X.D., see Q.X. Jia **228**, 160
Wu, X.-J., P. Laffez, H. Yamauchi and N. Môri, TEM study on a new Sr–Cu–O phase synthesized under high pressure **228**, 292

Xiang, X.-D., see J.G. Hou **228**, 175
Xue, Y.Y., see Z.J. Huang **228**, 211
Xue, Y.Y., see H. Chang **228**, 383

Yakabe, H., see J.G. Wen **228**, 279

Yamafuji, K., see Y. Mawatari **228**, 336
Yamaguchi, Y., D.-H. Ha, F. Iga and Y. Nishihara, Crossover in AC loss mechanism of a $Bi_2Sr_2CaCu_2O_8$ single crystal **228**, 141
Yamauchi, H., see X.-J. Wu **228**, 292
Yano, Y., see K. Shimura **228**, 91
Yao, X.X., see J.G. Wu **228**, 103
Yoda, O., see T. Ishibashi **228**, 379

Zettl, A., see J.G. Hou **228**, 175
Zhou, S.-A., Modelling of thermomagnetoelectric effects in type-II superconductors in the mixed state **228**, 122

ELSEVIER

Physica C 228 (1994) 413–414

PHYSICA C

Analytic Subject Index to Volume 228

1/*N*-expansion 22

AC susceptibility 85, 141, 181
Amorphization 109
Anisotropic superconductor 122, 254, 401
Antiferromagnetic fluctuations 15
Antiferromagnetic order 81, 299

Band structure 227, 331

C_{60} compounds 175, 181
Charge-transfer gap 81
Coherence length 181
Critical current density 42, 115, 336, 373, 393
Critical state model 1
Crystal field excitation linewidth 15
Cu–O planes 129
Cylindrical insulating inclusion 149

Defect structures 265, 351
Dielectric response 254

Electrical resistivity 33, 109, 190
Electronic structure 254
–of $Bi_2Sr_2CaCu_2O_y$ 137
Electron–phonon coupling 49
Energy gap 171
Epitaxial growth modes 259

Faraday effect 1
Fermi surface 227, 331
First-order phase transition 103
Fluctuation effects 115, 175, 195, 211, 401
Flux creep 42
Flux penetration 1
Flux pinning 42, 85, 141, 149, 373

Ginzburg–Landau theory 149, 373
Grain alignment 195
Granular superconductivity 181

Hall effect 122
High-pressure effect 63
Hole concentration 137
Holons 309
HREM 91, 279, 292, 351

Ionic size effect
–in $R_{1-x}Pr_xBa_2Cu_3O_y$ 216
Irradiation effect 109, 165, 379
Irreversibility line 85, 141
Isotope effect 299

Josephson effect 160

Kondo effect 22

Lawrence–Doniach model 103, 401
Layered superconductor 103
Lower critical field H_{c1} 115, 389

Magnetic impurities 22
Magnetic susceptibility 129, 319
Magnetization 211, 319, 323, 373
–of $Bi_{1.95}Sr_{1.65}La_{0.4}CuO_{6+\delta}$ 115, 401
Magnetization jump 103
Magneto-optics 1
Magnetoresistance
–of Rb_3C_{60} 175
Meissner effect 319
Mixed state 122
MOCVD 259
Modulation periodicity 379
Monte Carlo simulations 216
Multilayers
–of Pb/Ge 42

Neutron diffraction 73, 299
Nonequilibrium superconductivity 393
Non Fermi liquid 309
Normal-state properties 33

Optical spectroscopy 49
O–T transition 365
Oxygen stoichiometry 129, 365

Penetration depth 171, 211, 323
Percolation model 33, 216, 359
Ph-doped Bi-2223 109
Pinning potential 149
Proximity effect 359, 373
Pseudo-gap 15

Quasiparticle injection 393
Quaternary borocarbides 319, 331

Raman scattering 165
–in $Ba_2Cu_3O_{5.9}$ 383
–in Ba_2CuO_3 383
–in $BaCuO_2$ 383
Reversible magnetization 195

Shock compression 265
Single-crystal growth 58, 137
Small polaron hopping 33
S–N–S junction 359
Spin fluctuations 309
Spinons 309
Spin-orbit coupling 227
Strong electron correlations 81
Structure
–of $(Hg_{0.67}Bi_{0.33})Sr_2(Y_{0.67}Ca_{0.33})Cu_2O_{6+\delta}$ 190
–of (Sr, Ca)CuO_2 279
–of $Sr_2CuO_{3+\delta}$ 73
–of $YBa_2(Cu_{1-x}{}^{57}Fe_x)_3O_{6+y}$ 299
–of $YBa_2Cu_3O_{7-\delta}$ 91
Substitution effects 171
–in $La_2Cu_{1-x}Zn_xO_4$ 81
Surface barrier 336
Synthesis
–of $(Hg_{0.67}Bi_{0.33})Sr_2(Y_{0.67}Ca_{0.33})Cu_2O_{6+\delta}$ 190
–of $Nd_{2-x}Ce_xCuO_4$ 58
–of (Sr, Ca)CuO_2 279
–of $Sr_2CuO_{3+\delta}$ 73, 129
–of Sr–Ca–Cu–O 63
–of Sr–Cu–O 292
–of $Tl_{0.5}Pb_{0.5}Sr_2CaCu_2O_7$ 323
–of $Y_1Ba_2Cu_3O_{7-y}$ 351

–of $YBa_2Cu_3O_{7-\delta}$ 265, 365

Thermomagnetic effect 122
Thin films 1, 49, 91, 160, 279, 336
–of BSCCO 379
–of $YBa_2Cu_3O_{7-\delta}$ 165
–of $YBa_2Cu_4O_8$ 259
T–J model 309
Tunnel junction 393
Type II superconductors 149, 319

Upper critical field 181
Upper critical field H_{c2} 175, 211, 323
–in $LnNi_2B_2C$ 389
–in Y-Pd-B-C 389

Van Hove singularity 227
Vortex dynamics 122

XPS 137
X-ray diffraction 63

ELSEVIER

Physica C 228 (1994) 415

PHYSICA C

Materials Index to Volume 228

$Ba_2Cu_3O_{5.9}$
–Raman scattering 383
Ba_2CuO_3
–Raman scattering 383
$BaCuO_2$
–Raman scattering 383
$Bi_{1.95}Sr_{1.65}La_{0.4}CuO_{6+\delta}$
–magnetization 115, 401
$Bi_2Sr_2CaCu_2O_y$
–electronic structure 137

$(Hg_{0.67}Bi_{0.33})Sr_2(Y_{0.67}Ca_{0.33})Cu_2O_{6+\delta}$
–structure 190
–synthesis 190

$La_2Cu_{1-x}Zn_xO_4$
–substitution effects 81
$LnNi_2B_2C$
–upper critical field H_{c2} 389

$Nd_{2-x}Ce_xCuO_4$
–synthesis 58

Pb/Ge
–multilayers 42

$R_{1-x}Pr_xBa_2Cu_3O_y$
–ionic size effect 216
Rb_3C_{60}
–magnetoresistance 175

$(Sr,Ca)CuO_2$
–structure 279
–synthesis 279
$Sr_2CuO_{3+\delta}$
–structure 73
–synthesis 73, 129
Sr–Ca–Cu–O
–synthesis 63
Sr–Cu–O
–synthesis 292

$Tl_{0.5}Pb_{0.5}Sr_2CaCu_2O_7$
–synthesis 323

$Y_1Ba_2Cu_3O_{7-y}$
–synthesis 351
$YBa_2(Cu_{1-x}$
–structure 299
$YBa_2Cu_3O_{7-\delta}$
–structure 91
–synthesis 265, 365
–thin films 165
$YBa_2Cu_4O_8$
–thin films 259
Y-Pd-B-C
–upper critical field H_{c2} 389